

## REPORT DOCUMENTATION PAGE

DAB No 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. REPORT TYPE AND DATES COVERED FINAL REPORT 1 Feb 92 - 31 Jan 95	
4. TITLE AND SUBTITLE Basic Studies in Plasma Physics			5. FUNDING NUMBERS 61102F 2301/ES	
6. AUTHOR(S) Dr Lebowitz				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Rutgers - The State University of New York Department of Mathematics New Brunswick, NJ 08903			8. PERFORMING ORGANIZATION REPORT NUMBER AFOSR-IR 95-0444	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 110 Duncan Avenue Suite B115 Bolling AFB DC 20332-0001			10. SPONSORING/MONITORING AGENCY REPORT NUMBER F49620-92-J-0115	
11. SUPPLEMENTARY NOTES				
12. DISTRIBUTION STATEMENT (See instructions for distribution)				
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED				
13. ABSTRACT (Maximum 200 words)  During the grant period we have carried out work on various aspects of plasma physics. These include theoretical studies of equilibrium and non-equilibrium properties of strongly coupled particle systems, and of the phenomena which take place when neutral or partially ionized atoms interact strongly with external fields and with each other in a plasma. The main tools of our study are statistical mechanics and kinetic theory, including the transition from a microscopic to a hydrodynamic description. Quantum mechanics plays a central role in many of these problems, and is an important ingredient in our work.				
14. SUBJECT TERMS			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED
20. LIMITATION OF ABSTRACT UNCLASSIFIED				

19950627 010

*Final*

**TECHNICAL REPORT**

**AFOSR GRANT 92-J-0115**

**BASIC STUDIES IN PLASMA PHYSICS**

**February 1, 1992 — January 31, 1995**

by

Joel L. Lebowitz

Department of Mathematics and Physics

Hill Center

Rutgers University

New Brunswick, NJ 08903

Principal Investigator

## Introduction

During the grant period we have carried out work on various aspects of plasma physics. These include theoretical studies of equilibrium and non-equilibrium properties of strongly coupled particle systems, and of the phenomena which take place when neutral or partially ionized atoms interact strongly with external fields and with each other in a plasma. The main tools of our study are statistical mechanics and kinetic theory, including the transition from a microscopic to a hydrodynamic description. Quantum mechanics plays a central role in many of these problems, and is an important ingredient in our work.

### 1. ELECTRON VELOCITY DISTRIBUTION IN A WEAKLY IONIZED PLASMA WITH AN EXTERNAL ELECTRIC FIELD

The velocity distribution  $f(v)$  of the electron component of a weakly ionized plasma is investigated in a spatially homogeneous external electric field  $E$ . Both static and time-dependent  $E$  are considered. The time evolution of  $f$  is described by a Boltzmann equation in which the ions and neutral particles are assumed to have a Maxwellian distribution with *a priori* specified temperatures while the electron-electron interactions are given by a Landau-type collision integral. The (approximate) solution scheme used to solve this equation for a stationary  $f$  (in a constant field) is found to have nonunique solutions for certain ranges of  $E$ , in agreement with that found in earlier investigations using a different method of solution. These results are interpreted to correspond to hysteresis effects when the field is changing very slowly: with the true stable solution undergoing a very sharp changeover, possibly a discontinuous transition, at a certain critical  $E$ . This can be understood intuitively as a transition in the stationary state of the electrons from a low-energy regime dominated by strong coupling to the ions to a high-energy regime dominated by electron-electron and electron-neutral collisions.

## 2. NONLINEAR RESPONSE OF A DISSIPATIVE BLOCH PARTICLE IN AN OSCILLATING FIELD

We study the Caldeira-Leggett model of a particle coupled to a heat bath moving in a periodic cosine potential. In the limit of small viscosity we obtain an integral equation for the nonlinear response of the system to a constant or a slowly oscillating field. The equation is derived by a resummation of the infinite series expansion in the strength of the cosine potential. When solved via a self-consistent approximation it gives an *analytic* expression for the response function. Applications to Josephson junctions driven by a low-frequency source are discussed.

## 3. ATOMIC VERSUS IONIZED STATES IN MANY-PARTICLE SYSTEMS AND THE SPECTRA OF REDUCED DENSITY MATRICES: A MODEL STUDY

We study the spectrum of appropriate reduced density matrices for a model consisting of one quantum particle ("electron") in a classical fluid (of "protons") at thermal equilibrium. The quantum and classical particles interact by a short-range, attractive potential such that the quantum particle can form "atomic" bound states with a single classical particle. We consider two models for the classical component: an ideal gas and the "cell model of a fluid". We find that when the system is at low density the spectrum of the "electron proton" pair density matrix has, in addition to a continuous part, a discrete part that is associated with "atomic" bound states. In the high-density limit the discrete eigenvalues disappear in the case of the cell model, indicating the existence of pressure ionization or a Mott effect according to a general criterion for characterizing bound and ionized electron proton pairs in a plasma proposed recently by M. Girardeau. For the ideal gas model, on the other hand, eigenvalues remain even at high density.

**LIST OF PUBLICATIONS**  
**SUPPORTED BY AFOSR GRANT**

- [1] Spectral Properties of Quasiperiodically Driven Quantum Systems, (with H.R. Jauslin), in Stochastic Processes, Geometry and Physics, D. Merlini, S. Albeverio and G. Sewell, editors. World Scientific, 1993
- [2] Steady-State Electrical Conduction in the Periodic Lorentz Gas, (with N.I. Chernov, G.L. Eyink and Ya. G. Sinai), Comm. Math. Phys. 154, 569-601, 1993
- [3] Times Arrow and Boltzmann's Entropy, in Physical Origin of Time Asymmetry, 131-146, Cambridge University Press, 1994
- [4] Generalized Gaussian Dynamics, Phase-Space Reduction, and Irreversibility: A Comment, (with G.L. Eyink), in Microscopic Simulations of Complex Hydrodynamics Phenomena, Proceedings of the NATO Advanced Study Institute, Alghero, 1991, Plenum, 1992
- [5] Electron Distribution in a Weakly Ionized Plasma in an External Electric Field, (with A. Rokhlenko), Physics of Fluids B: Plasma Physics, 5, 1766-1773, 1993
- [6] Quantum Particle in a Washboard Potential - Part I: Linear Mobility and the Einstein Relation, (with Y.C. Chen), Phys. Rev. B, 46, 10743-10750, 1992
- [7] Quantum Particle in a Washboard Potential - Part II: Nonlinear Mobility and the Josephson Junction, (with Y.C. Chen), Phys. Rev. B, 46, 10751-10762, 1992
- [8] Nonlinear Response of a Dissipative Bloch Particle in an Oscillating Field, (with Y.C. Chen), Phys. Rev. Lett., 69, 3559-3562, 1992
- [9] Floquent Spectrum for Two Level Systems in Quasiperiodic Time Dependent Fields, (with P. Bleher and H.R. Jauslin), Journal of Statistical Physics, 68, 271-310, 1992
- [10] Atomic versus Ionized States in Many Particles Systems and the Spectra of Reduced Density Matrices: A Model Study, (with N. Macris and P.A. Martin), Journal of Statistical Physics, 67, 909-956, 1992
- [11] Macroscopic Laws and Microscopic Dynamics: Boltzmann's Entropy Revisited, Physica A, 194, 1-27, 1993
- [12] Derivation of Ohm's Law in a Deterministic Mechanical Model, (with N.I. Chernov, G.L. Eyink and Ya.G. Sinai), Phys. Rev. Lett, 70, 2209-2212, 1993

- [13] Large Charge Fluctuations in Classical Coulomb Systems, (with B. Jancovici and G. Manificat), Journal of Statistical Physics, 73, 314, 1993
- [14] Energy Dissipation Without Viscosity in Ideal Hydrodynamics, G.L. Eyink, Journal of Statistical Physics, 1994
- [15] Multidimensional Pattern Formation Has an Infinite Number of Constants of Motion, M.B. Mineev-Weinstein, submitted to Physical Review A, Rapid Communications.
- [16] Negative Temperature States and Large-Scale, Long-Lived Vortices in Two-Dimensional Turbulence, G.L. Eyink and H. Spohn, Journal of Statistical Physics, 70, 833-887, 1993
- [17] Ground State Configurations of the One Dimensional Falicov-Kimball Model (with C. Gruber and N. Macris), Phys. Rev. B, 48, 4312-4324, 1993
- [18] Rigorous WKB for Finite Order Linear Recurrence Relations with Smooth Coefficients, O. Costin and R. Costin, SIAM Journal, to appear
- [19] Boltzmann's Entropy and Time's Arrow, Physics Today, 32-38, October 1993
- [20] Hydrodynamic Limit of the Stationary Boltzmann Equation in a Slab (with R. Esposito and R. Marra), Communications in Mathematical Physics, 160:49-80, 1994
- [21] Microscopic-Shock Profiles: Exact Solution of a Non-Equilibrium System, (with B. Derrida, S. Janowsky and E.R. Speer), Europhysics Letters, 22, 651-656, 1993
- [22] Stationary Shear Flow in Boundary Driven Hamiltonian Systems, (with N. Chernov), submitted to Physical Review Letters, 1994
- [23] Optimizing the RVB State on A Triangular Lattice: Presence of the Long-Range Order, Y.C. Chen, Modern Physics Letters B, 1253-1260, 1994.
- [24] Dissipative Stationary Plasmas: Kinetic Modeling, Bennett's Pinch and Generalizations, (with M. Kiessling), Physics of Fluids B: Plasma Physics, 1, 1841-1849, 1994
- [25] On The Drift and Diffusion of a Stick in a Lattice Gas, (with F. Alexander), J. Phys. A, 683-696, 1994
- [26] Navier-Stokes Limit of Stationary Solutions of the Nonlinear Boltzmann Equation, (with R. Esposito and R. Marra) Jour. Stat. Phys. 78, 389-412, 1995
- [27] Statistical Physics, Integrable and Chaotic Systems, to appear in The Physical Review: The First Hundred Years, H. Stroke (ed.), AIP Press, New York, 1994

- [28] Billiards Correlation Functions, P.L. Garrido and G. Gallavotti, Journal of Statistical Physics, 76, 1994
- [29] Conserved Moments in Nonequilibrium Field Dynamics, M.B. Mineev-Weinstein and F.J. Alexander, to appear in the Journal of Statistical Physics, 79, 5/6, 1995
- [30] Does the Wave Function Provide a Complete Description of Physical Reality? (with S. Goldstein), in The Physical Review: The First Hundred Years, H. Stroke (ed.), AIP Press, New York, 1994
- [31] Kinetic Phase Transitions in the Electron Velocity Distribution in Homogeneous Plasmas, (with E. Carlen, R. Esposito, R. Marra and A.V. Rokhlenko), Phys. Rev. E, to appear
- [32] Rigorous Asymptotics Beyond All Orders for a Class of Ordinary Differential Equations, O. Costin, preprint
- [33] Hydrodynamics and Fluctuations Outside of Local Equilibrium, (with G.L. Eyink and H. Spohn), submitted to Jour. Stat. Phys.
- [34] Quantum Dynamics under Impulsive Collisions: A New Formalism and Model Studies, (L. Kong, Y.-C. Chen and Y.-H. Jin), submitted to the Journal of Statistical Physics
- [35] The Reflection of Electromagnetic Waves by a Conducting Surface Coated with a Plasma Layer, (A. Rokhlenko), submitted to IEEE Trans. on Plasma Science
- [36] Conformally Invariant Systems of Nonlinear PDEs of Liouville Type, (S. Chanillo and M. K.-H. Kiessling), to appear in Geometric and Functional Analysis
- [37] Microscopic Reversibility and Macroscopic Behavior: Physical Explanations and Mathematical Derivations, Enciclopedia Italiana. Also in XIII Sitges Conference, 13-17 June, 1994, Sitges-Barcelona, Spain, and in Statistical Physics Days, Istanbul Technical University Meeting, July 14-15, 1994, Istanbul, Turkey